


Installation Manual




Apply for following models:

**55271/55272/55273/55274
55275**


Please keep this page for your online registration.

No. FIENSEL12V1.0





L



R

55271	55272	55273	55274	55275	800+150
-------	-------	-------	-------	-------	---------

◆ General Information

Please inspect the product immediately upon receipt for transit damage, missing packs/parts or manufacturing fault. Damage reported later cannot be accepted. Please handle the product with care avoiding knocks and shock loading to all sides and edges of the glass.

Notes: Safety glass can not be re-worked.

Please read these instructions carefully before start of installation.

Special care should be taken when drilling walls to avoid hidden pipes or electrical cables.

Note: This product is heavy and may require two people to install.


Aftercare instructions



After use, your shower should be cleaned with soap and water. This is particularly important in hard water districts where insoluble lime salts may be deposited and allowed to build up.

Cleaners of a gritty or abrasive nature should not be used. Care should be taken to avoid contact with strong chemicals such as organic solvents and strippers.

Glass cleaners can be used but with caution, if in doubt contact the manufacturer of the cleaner in question.

Please keep these instructions for aftercare and customer service details.





[11] x3 (ST4x35)



[12] x3




[13] x3 (ST4x10)




[14] x3




[15] x3



[16] x1




[17] x1



ITEM	DESCRIPTION	NOTE (800mm) (55271/55272/55273/55274/55275)	QTY
1	Wall profile	1400	1
2	Piano seal strip	1399	2
3	Door bottom seal strip	359	1
4	Door bottom seal strip	141	1
5	Fixed glass	377*1400*6	1
6	Main door glass	377*1390*6	1
7	Small door glass	150*1390*6	1
8	Diagonal pull rod	280	1
9	Inner opening small hinge	133*30*35	2
10	Outer opening small hinge	133*30*35	2
11	Cross recessed pan head tapping screw	ST4*35	3
12	Wall plug	35.5*7.1	3
13	Cross recessed pan head tapping screw	ST4*10	3
14	Round screw cover	φ12.7X6.5	3
15	Round plastic plug	φ10.7X3.2	3
16	Cover		1
17	Vertical profile cover		1



01









[01] x1




[11] x3 (ST4x35)






[12] x3




02




[05] x1






03



[06] x1






[10] x2



04






[02] x1



05



[03] x1



06






[13] x3 (ST4x10)




[14] x3












[15] x3



07



[08] x1






08




[07] x1

[09] x2







09




[02] x1


[04] x1



10



[16] x1



[17] x1

