



Installation Manual



Apply for all electric mirrors with color change/single switch (with defogger function)

Please keep this page for your online registration.

NO.FIFUMCJ08V1.0

Content

Important Notes 3

Getting Started 5

Installing Electric Mirrors 6

Operating instruction 8

Important Notes

Electrical Safety and Standards

- . Products are manufactured to class II and do not require an earth connection (see Wiring Diagram).
- . Mains power supply must be switched off prior to starting electrical installation.
- . If there are only two wires coming from your power supply, fitting can be wired to an unearthed circuit.
- . All electrical products should be fitted by a qualified electrician in accordance with national wiring regulations (BS7671).
- . Before drilling, ensure there are no hidden cables or pipes in the wall.
- . Products are for in door use only.
- . Moisture must not come into contact with the electrical components.
- . Products rated IP44 are suitable for installation in bathroom Zone 2 and outside Zone 1/Zone 2 under normal use.

Compliance

Products in this manual comply with the following safety standards: BS EN 60598-1: 2008+ A11: 2009, EN60598-2-1: 1989.

Other Safety Notes

- . Work from a suitable platform when operating at heights.
- . Wear suitable eye protection when drilling.
- . Be careful when using power tools near water.

Wall Types


- . Fixings supplied are generally for solid walls.
- . For dry stud walls, purchase suitable fixings.
- . For advice on suitable wall fixings, contact your local DIY store.
- . If fitting on tiles, use a ceramic drill bit and insert wall plugs below the tile.

Please place the product in a well ventilated environment to avoid oxidation caused by long-term humidity.

Wiring Diagram



Bathroom Zoes Diagram



Getting Started


 Read the **Important Notes** on pages 2 and 3 before starting.

Fixtures

Fixtures are provided for certain mirror types. Examples of fixtures are provided below.


	Recommended max load	Wall types suitable for		
		Brick	Wood	Dry stud walls
 Screw and raw plug	20kg	√	√	√

Tools Required




Installing Electric Mirrors

- 1 Choose the orientation of the mirror (Vertical/Horizontal).




- 2 Take measurements and mark wall.




A= Distance between strap hangers
B= Centre line from A


- 3 Drill holes based on the fastening points marked and attach fastenings to the wall.




- 4 Using a 5mm drill bit (not included), drill pilot holes where marked in step 1 and insert included wall anchors.




- 5 House wires may vary in color. Please be sure to verify actual house wires with a certified electrician before installation.



- 6 Connected the wired, then carefully let the mirror drop down so that the Installed accessories slide into themounting bracket, securing the mirror in place.



Operating instruction



Functions Overview

- Power ON/OFF
- Color temperature switching
- Stepless dimming
- Synchronous control of dimmer pad

How to Use

Operation	Function	Backlight	Light Status	Demister
Power on	Standby	White	Off	Off
Short press	Light on	White	Memory status	On
Long press (when on)	Dimming	White	Brightness changes	On
Short press (when on)	Color temperature switching	White	White / Mixed / Warm	On
Short press	Light off	White	Off	Off